



aTP812 White

- Printable both sides
- Smooth touch & tear resistant
- Dyeing process resistant
- Coated both sides

Polyester Taffeta is a polyester fiber based fabric. This material gives excellent resistance to harsh mechanical manipulation (tearing, scratching...), a smooth and supple surface which brings comfort in case of skin contact. The coating allows it to be printable with Thermal Transfer technology and resist to the dyeing process and stone washing.

Selected for optimal compatibility with **AXR®TX** Thermal Transfer Ribbon.

100% POLYESTER taffeta

POLYESTER

> **aTP811** white
Dyeing process resistant

> **aTP812** white
Dyeing process resistant

SATIN

> **aTS821** white
Anti-fray

> **aTS811** white
Dyeing/Tanning/Stonewashing...

> **aTS612** white
Recycled yarns

> **aTS602** white

> **aTS601** white

NYLON

> **aTN501** white

> **aTN802** white
Roll up resistant

> **aTN602** white

Printable 1 side only

Printable both sides

Resistances

Washing
Domestic 80-85°C

Ironing

Stone washing

Tanning

Enzyme washing

Dry cleaning

Dyeing process

Anti-fray

Roll specifications

- **Core diameter:** 1", 1,5", 2", 3"
- **Roll width:** min 20 mm, max 220 mm
- **Roll length:** min 50 m, max 400 m


Refer to the offer brochure for more information

Certifications

- **REACH / SVHC** 1907/2006/EC



Fabric specifications



- **Color:** white
- **Density:**
 - Warp: 42 yarns/cm
 - Weft: 31 yarns/cm
- **Total weight: 111 g/m²**
 - Coating weight 49 g/m²
 - Fabric weight 62 g/m²
- **Thickness:** < 0,215mm

Storage conditions

- **Recommended:** 12 months
- **Humidity rate:** 20-80%
- **Temperature:** 5-35°C (40-95°F)