

# SW150 Standard Wax

## Economical Printing with Consistent Performance



Food/Beverage



Health/Beauty



Logistics



Retail

### Benefits

- Handles basic applications with ease
- Reliable, economical wax ink
- Good print quality on low end paper tag and label stocks
- High wax content allows for lower printer darkness settings
- Print speeds up to 12 IPS
- Specially formulated backcoat protects the printhead

### Recommended Stocks

#### Paper

- Vellum
- Matte Coated
- Semi-Gloss
- Gloss
- Floodcoats

### Applications

- Component identification
- Product identification
- Shipping
- Warehousing
- Work in Process (WIP)

### Key Product Range

STANDARD WAX	ENHANCED WAX	WAX RESIN	RESIN	NEAR EDGE
SW150 SW200	GP725 DC100	PM255 PM308 DC200	SP330 SP575 DC400	NETMark IQ NETFlex+ NETFlex+ XL NET330 NETColour

### Technical Specifications

Colour Code Tab ..... Yellow  
 Film Thickness ..... 4.5 Microns  
 Total Ribbon Thickness ..... 7.5 Microns  
 Transmission Density ..... 1.73 MacBeth Scale  
 Ink Melting Point ..... 67°C / 152°F

### Imaging Characteristics

Printhead ..... Flathead  
 Max Print Speed ..... 12 IPS (305 mm/s)  
 Image Darkness ..... 1.3 RD (densitometer)

### Compliance

- REACH – SVHC Free
- RoHS
- FDA GRAS Recognized
- FDA 21CFR175
- ISEGA

### Storage Conditions

12 months recommended  
 20-85% Relative Humidity Rate, -5-40°C (23-104°F)

### Performance Ratings

